



# M/T 'LS JACOBA'

IMO2 Sea-Going Chemical / Oil Tanker



Sas van Gent [nl]Port number 5241 • T +31(0)115 472 151 • F +31(0)115 473 144  
info@lauranne-shipping.com • www.lauranne-shipping.com



# M/T 'LS JACOBA'

<b>Type of vessel:</b>	Chemical / Oil Tanker ,Type 2, Double Hull
<b>IMO Number:</b>	9334428
<b>Built:</b>	2006 at "CICEK" Shipyard, Turkey
<b>Flag:</b>	Gibraltar
<b>Port of Registry:</b>	Gibraltar
<b>Call sign:</b>	ZDHL2
<b>Officers / Crew:</b>	Romanian
<b>Class:</b>	Bureau Veritas I+HULL; +MACH Oil Tanker ESP; Chemical Tanker ESP Unrestricted navigation AVM-DPS; AUT-IMS; SYS-NEQ1; CLEAN-SEA; CLEAN-AIR ICE CLASS IA; INWATERSURVEY; VCS-TRANSFER CARGO CONTROL; MANOVR; IG; SPM Intended for worldwide trade carrying Chemical Cargoes of Max. Specific Gravity of 1.90 t/m3.
<b>Particulars:</b>	Length Over All (LOA): 148.00 m Length Between Perpendiculars (LBP): 138.53 m Parallel Body, at Loaded Summer Deadweight: 79.50 m Parallel Body, Normal Ballast: 68.50 m Breadth Moulded: 21.60 m Draft Summer: 8.60 m Draft Ballast: 5.61 m TPC Immersion at Summer Draft: 28.4 Metric Tonnes Air Draft in Ballast / Loaded Condition: 32.16 m / 29.17 m Distance from Bow to Centre Manifold: 75.60 m Distance from Stern to Centre Manifold: 72.40 m Distance between Manifolds: 0.515 m Distance from Ship Side to Manifold: 4.685 m Distance from Deck / Tray to Manifold: 3.720 m / 0.920 m Cargo Tanks Capacity (100%): 17,943.32 m3 Slop Tanks Capacity (100%): 366.53 m3 Ballast Tanks Capacity: 6,265.20 m3 Fuel IFO / MGO Tanks Capacity: 743.14 m3 / 32.83 m3
<b>Deadweight:</b>	15,551.4 TDW
<b>Tonnage International:</b>	Gross 10,811 Tonnes / Net 5,219 Tonnes
<b>Coating:</b>	Marine Line
<b>Main Engine:</b>	AVM-DPS, Duplicated Propulsion System Engine Rolls-Royce Bergen, Type B32/40 L8P 2 x 3600 KW at 720 rpm
<b>Steering:</b>	2 pcs. Azimuth Thrusters – 4 blades – action 3600
<b>Auxiliary engines:</b>	1 pc. Diesel Generator Nordvan Scania, 1 x 469 KW 1 pc. Emergency Diesel Generator Nordvan Sisu, 1 x 150 KW 2 pcs. Shaft Generator, 2 x 1200 KW
<b>Bowthruster:</b>	1 pc. Bowthruster, 1 x 600 KW
<b>Speed / Consumption:</b>	Approx. 13 knots on approx. 24.0 metric tonnes fuel / day.
<b>Cranes:</b>	2 x 5.0 T SWL Hose Crane (1 pc. each side of Manifold), 3600 action 1 x 2.0 T SWL for Stores & Provisions
<b>Inert Gas System:</b>	1 pc. Nitrogen Generator, 1 x 1125 m3/h
<b>Cargo Pumps:</b>	FRAMO Hydraulic Driven Deepwell Pump 18 Pumps each 335 m3/h at Back Pressure 11 bar
<b>Slop Pumps:</b>	FRAMO Hydraulic Driven Deepwell Pump 2 Pumps each 100 m3/h at Back Pressure 11 bar
<b>Ballast Pumps:</b>	2 Pumps each 500 m3/h
<b>No. of Cargo Tanks:</b>	18 Cargo Tanks + 2 Slop Tanks
<b>No. of Segregations:</b>	18 + 2 Grades Cargo, Separate Lines / Pumps